

PERMIT:

- **Poland:** URPLW MiPB No 0308/TP/2020
- **Germany:** BAuA REG Nr N-91963
- **France:** LE NUMERO D'INVENTARE: 63327

ITSEPTIC Hand disinfectant liquid

| Index | FR0105 |
|--------------------|----------------------------------|
| EAN code | 5900488998309 |
| Pieces per carton | 18 |
| Pieces per pallet | 5400 |
| Gross weight | 0,07 kg |
| Net weight | 0,06 kg |
| Bottle size | 3,5 x 3,5 x 12,5 cm |
| Volume | 65 ml |
| Expiration date | 3 years from the production date |
| Package | HDPE bottle |
| Storage durability | 5 – 25 °C |



Features

Hand disinfectant with cleansing and refreshing properties. For use directly on the skin without rinsing with water. Formula based on alcohol (> 70%). Aloe extract and glycerine contained in the composition moisturize the skin and protect it from excessive drying.

Application

Spray a small amount of the liquid onto dry, clean hands. Rub it in for 30 seconds and let it absorb. The hands must be kept moist throughout the disinfection process. Do not rinse. Recommended for common, everyday use.

Areas of application

- hand disinfection in the area of public transport
- hand disinfection in service and commercial places
- hand disinfection in the medical area (excluding surgical procedures)
- hand disinfection in educational institutions
- hand disinfection in beauty and hairdressing salons
- hand disinfection while traveling
- hand disinfection in offices and workplaces
- hand disinfection at gas stations
- hand disinfection in fitness clubs and gyms
- hand disinfection in restaurants

Characteristics of the soaking fluid

| | |
|--|--------------------------------------|
| Type of soaking fluid | alcohol-based |
| pH of the soaking fluid | 6,5 – 7,0 |
| Soaking fluid density at 20 ° C [g/cm ³] | 0,89 |
| The active substance | Ethanol 70 g / 100 g |
| Smell | characteristic, alcoholic, with mint |
| Appearance | transparent liquid |

Studies

PN-EN 13624:2013-12

Chemical disinfectants and antiseptics – quantitative suspension method for the evaluation of fungicidal or biocidal effect on yeast-like fungi in the medical area. Test method and requirements (phase 2, stage 1).

PN-EN 13727+A2:2015-12

Chemical disinfectants and antiseptics – quantitative suspension method for the evaluation of antibacterial effect in the medical area. Test method and requirements (phase 2, stage 1).

PN-EN 1500:2013

Chemical disinfectants and antiseptics - Hygienic hand rub - Test method and requirements (phase 2/step 2). According to the standard, a disinfectant is effective if the results meet the acceptance criteria and the statistical analysis of the obtained data proves that the tested product has no lesser antimicrobial efficacy than the reference product.

| Norm | Type of microorganism | Time to obtain the biocidal effect |
|-------------------------------|--|---|
| PN-EN 13624:2013-12 | Candida albicans ATCC 10231 Aspergillus brasiliensis ATCC 16404 | 30 sec +/- 5 sec – hygienic disinfection of surfaces 180 sec +/- 5 sec – surgical disinfection |
| PN-EN 13727+A2:2015-12 | Escherichia coli K12 NCTC 10538 Staphylococcus aureus ATCC 6538 Pseudomonas aeruginosa ATCC 15442 Enterococcus hirae ATCC 10541 | 30 sec +/- 5 sec – hygienic disinfection of surfaces 60 sec +/- 5 sec – surgical disinfection |
| PN-EN 1500:2013 | Escherichia coli K12 NCTC 10538 | 60 sec +/- 5 sec |
| PN-EN 14476+A2:2019-08 | In progress | |

The legal basis for the research is: Act of October 9, 2015 on biocidal products

PERMIT:

- **Poland:** URPLW MiPB No 0308/TP/2020
- **Germany:** BAuA REG Nr N-91963
- **France:** LE NUMERO D'INVENTARE: 63327

ITSEPTIC Hand disinfectant liquid

| Index | FR0108 |
|--------------------|----------------------------------|
| EAN code | 5900488998330 |
| Pieces per carton | 12 |
| Pieces per pallet | 3849 |
| Gross weight | 0,09 kg |
| Net weight | 0,08 kg |
| Bottle size | 4 x 4 x 14 cm |
| Volume | 100 ml |
| Expiration date | 3 years from the production date |
| Package | HDPE bottle |
| Storage durability | 5 – 25 °C |



Features

Hand disinfectant with cleansing and refreshing properties. For use directly on the skin without rinsing with water. Formula based on alcohol (> 70%). Aloe extract and glycerine contained in the composition moisturize the skin and protect it from excessive drying.

Application

Spray a small amount of the liquid onto dry, clean hands. Rub it in for 30 seconds and let it absorb. The hands must be kept moist throughout the disinfection process. Do not rinse. Recommended for common, everyday use.

Areas of application

- hand disinfection in the area of public transport
- hand disinfection in service and commercial places
- hand disinfection in the medical area (excluding surgical procedures)
- hand disinfection in educational institutions
- hand disinfection in beauty and hairdressing salons
- hand disinfection while traveling
- hand disinfection in offices and workplaces
- hand disinfection at gas stations
- hand disinfection in fitness clubs and gyms
- hand disinfection in restaurants

Characteristics of the soaking fluid

| | |
|--|--------------------------------------|
| Type of soaking fluid | alcohol-based |
| pH of the soaking fluid | 6,5 – 7,0 |
| Soaking fluid density at 20 ° C [g/cm ³] | 0,89 |
| The active substance | Ethanol 70 g / 100 g |
| Smell | characteristic, alcoholic, with mint |
| Appearance | transparent liquid |

Studies

PN-EN 13624:2013-12

Chemical disinfectants and antiseptics – quantitative suspension method for the evaluation of fungicidal or biocidal effect on yeast-like fungi in the medical area. Test method and requirements (phase 2, stage 1).

PN-EN 13727+A2:2015-12

Chemical disinfectants and antiseptics – quantitative suspension method for the evaluation of antibacterial effect in the medical area. Test method and requirements (phase 2, stage 1).

PN-EN 1500:2013

Chemical disinfectants and antiseptics - Hygienic hand rub - Test method and requirements (phase 2/step 2). According to the standard, a disinfectant is effective if the results meet the acceptance criteria and the statistical analysis of the obtained data proves that the tested product has no lesser antimicrobial efficacy than the reference product.

| Norm | Type of microorganism | Time to obtain the biocidal effect |
|-------------------------------|--|---|
| PN-EN 13624:2013-12 | Candida albicans ATCC 10231 Aspergillus brasiliensis ATCC 16404 | 30 sec +/- 5 sec – hygienic disinfection of surfaces 180 sec +/- 5 sec – surgical disinfection |
| PN-EN 13727+A2:2015-12 | Escherichia coli K12 NCTC 10538 Staphylococcus aureus ATCC 6538 Pseudomonas aeruginosa ATCC 15442 Enterococcus hirae ATCC 10541 | 30 sec +/- 5 sec – hygienic disinfection of surfaces 60 sec +/- 5 sec – surgical disinfection |
| PN-EN 1500:2013 | Escherichia coli K12 NCTC 10538 | 60 sec +/- 5 sec |
| PN-EN 14476+A2:2019-08 | In progress | |


The legal basis for the research is: Act of October 9, 2015 on biocidal products

PERMIT:

- **Poland:** URPLW MiPB No 0308/TP/2020
- **Germany:** BAuA REG Nr N-91963
- **France:** LE NUMERO D'INVENTARE: 63327

ITSEPTIC Hand disinfectant liquid

| Index | FR0109 |
|--------------------|----------------------------------|
| EAN code | 5900488998347 |
| Pieces per carton | 12 |
| Pieces per pallet | 2016 |
| Gross weight | 0,245 kg |
| Net weight | 0,2 kg |
| Bottle size | 5,2 x 5,2 x 19,5 cm |
| Volume | 250 ml |
| Expiration date | 3 years from the production date |
| Package | HDPE bottle |
| Storage durability | 5 – 25 °C |



Features

Hand disinfectant with cleansing and refreshing properties. For use directly on the skin without rinsing with water. Formula based on alcohol (> 70%). Aloe extract and glycerine contained in the composition moisturize the skin and protect it from excessive drying.

Application

Spray a small amount of the liquid onto dry, clean hands. Rub it in for 30 seconds and let it absorb. The hands must be kept moist throughout the disinfection process. Do not rinse. Recommended for common, everyday use.

Areas of application

- hand disinfection in the area of public transport
- hand disinfection in service and commercial places
- hand disinfection in the medical area (excluding surgical procedures)
- hand disinfection in educational institutions
- hand disinfection in beauty and hairdressing salons
- hand disinfection while traveling
- hand disinfection in offices and workplaces
- hand disinfection at gas stations
- hand disinfection in fitness clubs and gyms
- hand disinfection in restaurants

Characteristics of the soaking fluid

| | |
|--|--------------------------------------|
| Type of soaking fluid | alcohol-based |
| pH of the soaking fluid | 6,5 – 7,0 |
| Soaking fluid density at 20 ° C [g/cm ³] | 0,89 |
| The active substance | Ethanol 70 g / 100 g |
| Smell | characteristic, alcoholic, with mint |
| Appearance | transparent liquid |

Studies

PN-EN 13624:2013-12

Chemical disinfectants and antiseptics – quantitative suspension method for the evaluation of fungicidal or biocidal effect on yeast-like fungi in the medical area. Test method and requirements (phase 2, stage 1).

PN-EN 13727+A2:2015-12

Chemical disinfectants and antiseptics – quantitative suspension method for the evaluation of antibacterial effect in the medical area. Test method and requirements (phase 2, stage 1).

PN-EN 1500:2013

Chemical disinfectants and antiseptics - Hygienic hand rub - Test method and requirements (phase 2/step 2). According to the standard, a disinfectant is effective if the results meet the acceptance criteria and the statistical analysis of the obtained data proves that the tested product has no lesser antimicrobial efficacy than the reference product.

| Norm | Type of microorganism | Time to obtain the biocidal effect |
|------------------------|--|---|
| PN-EN 13624:2013-12 | Candida albicans ATCC 10231 Aspergillus brasiliensis ATCC 16404 | 30 sec +/- 5 sec – hygienic disinfection of surfaces 180 sec +/- 5 sec – surgical disinfection |
| PN-EN 13727+A2:2015-12 | Escherichia coli K12 NCTC 10538 Staphylococcus aureus ATCC 6538 Pseudomonas aeruginosa ATCC 15442 Enterococcus hirae ATCC 10541 | 30 sec +/- 5 sec – hygienic disinfection of surfaces 60 sec +/- 5 sec – surgical disinfection |
| PN-EN 1500:2013 | Escherichia coli K12 NCTC 10538 | 60 sec +/- 5 sec |
| PN-EN 14476+A2:2019-08 | In progress | |

The legal basis for the research is: Act of October 9, 2015 on biocidal products

PERMIT:

- **Poland:** URPLWMiPB No 0308/TP/2020
- **Germany:** BAuA REG Nr N-91963
- **France:** LE NUMERO D'INVENTARE: 63327

ITSEPTIC Hand disinfectant liquid

| Index | FR0110 |
|--------------------|----------------------------------|
| EAN code | 5900488998354 |
| Pieces per carton | 18 |
| Pieces per pallet | 756 |
| Gross weight | 0,50 kg |
| Net weight | 0,45 kg |
| Bottle size | 9,2 x 7,5 x 20 cm |
| Volume | 500 ml |
| Expiration date | 3 years from the production date |
| Package | HDPE bottle |
| Storage durability | 5 – 25 °C |



Features

Hand disinfectant with cleansing and refreshing properties. For use directly on the skin without rinsing with water. Formula based on alcohol (> 70%). Aloe extract and glycerine contained in the composition moisturize the skin and protect it from excessive drying.

Application

Spray a small amount of the liquid onto dry, clean hands. Rub it in for 30 seconds and let it absorb. The hands must be kept moist throughout the disinfection process. Do not rinse. Recommended for common, everyday use.

Areas of application

- hand disinfection in the area of public transport
- hand disinfection in service and commercial places
- hand disinfection in the medical area (excluding surgical procedures)
- hand disinfection in educational institutions
- hand disinfection in beauty and hairdressing salons
- hand disinfection while traveling
- hand disinfection in offices and workplaces
- hand disinfection at gas stations
- hand disinfection in fitness clubs and gyms
- hand disinfection in restaurants

Characteristics of the soaking fluid

| | |
|--|--------------------------------------|
| Type of soaking fluid | alcohol-based |
| pH of the soaking fluid | 6,5 – 7,0 |
| Soaking fluid density at 20 ° C [g/cm ³] | 0,89 |
| The active substance | Ethanol 70 g / 100 g |
| Smell | characteristic, alcoholic, with mint |
| Appearance | transparent liquid |

Studies

PN-EN 13624:2013-12

Chemical disinfectants and antiseptics – quantitative suspension method for the evaluation of fungicidal or biocidal effect on yeast-like fungi in the medical area. Test method and requirements (phase 2, stage 1).

PN-EN 13727+A2:2015-12

Chemical disinfectants and antiseptics – quantitative suspension method for the evaluation of antibacterial effect in the medical area. Test method and requirements (phase 2, stage 1).

PN-EN 1500:2013

Chemical disinfectants and antiseptics - Hygienic hand rub - Test method and requirements (phase 2/step 2). According to the standard, a disinfectant is effective if the results meet the acceptance criteria and the statistical analysis of the obtained data proves that the tested product has no lesser antimicrobial efficacy than the reference product.

| Norm | Type of microorganism | Time to obtain the biocidal effect |
|-------------------------------|--|---|
| PN-EN 13624:2013-12 | Candida albicans ATCC 10231 Aspergillus brasiliensis ATCC 16404 | 30 sec +/- 5 sec – hygienic disinfection of surfaces 180 sec +/- 5 sec – surgical disinfection |
| PN-EN 13727+A2:2015-12 | Escherichia coli K12 NCTC 10538 Staphylococcus aureus ATCC 6538 Pseudomonas aeruginosa ATCC 15442 Enterococcus hirae ATCC 10541 | 30 sec +/- 5 sec – hygienic disinfection of surfaces 60 sec +/- 5 sec – surgical disinfection |
| PN-EN 1500:2013 | Escherichia coli K12 NCTC 10538 | 60 sec +/- 5 sec |
| PN-EN 14476+A2:2019-08 | In progress | |

The legal basis for the research is: Act of October 9, 2015 on biocidal products

PERMIT:

- **Poland:** URPLW MiPB No 0308/TP/2020
- **Germany:** BAuA REG Nr N-91963
- **France:** LE NUMERO D'INVENTARE: 63327

ITSEPTIC Hand disinfectant liquid

| Index | FR0111 |
|--------------------|----------------------------------|
| EAN code | 5900488998361 |
| Pieces per carton | 8 |
| Pieces per pallet | 400 |
| Gross weight | 0,95 kg |
| Net weight | 0,90 kg |
| Bottle size | 9,4 x 9,4 x 30,2 cm |
| Volume | 1000 ml |
| Expiration date | 3 years from the production date |
| Package | HDPE bottle |
| Storage durability | 5 – 25 °C |



Features

Hand disinfectant with cleansing and refreshing properties. For use directly on the skin without rinsing with water. Formula based on alcohol (> 70%). Aloe extract and glycerine contained in the composition moisturize the skin and protect it from excessive drying.

Application

Spray a small amount of the liquid onto dry, clean hands. Rub it in for 30 seconds and let it absorb. The hands must be kept moist throughout the disinfection process. Do not rinse. Recommended for common, everyday use.

Areas of application

- hand disinfection in the area of public transport
- hand disinfection in service and commercial places
- hand disinfection in the medical area (excluding surgical procedures)
- hand disinfection in educational institutions
- hand disinfection in beauty and hairdressing salons
- hand disinfection while traveling
- hand disinfection in offices and workplaces
- hand disinfection at gas stations
- hand disinfection in fitness clubs and gyms
- hand disinfection in restaurants

Characteristics of the soaking fluid

| | |
|--|--------------------------------------|
| Type of soaking fluid | alcohol-based |
| pH of the soaking fluid | 6,5 – 7,0 |
| Soaking fluid density at 20 ° C [g/cm ³] | 0,89 |
| The active substance | Ethanol 70 g / 100 g |
| Smell | characteristic, alcoholic, with mint |
| Appearance | transparent liquid |

Studies

PN-EN 13624:2013-12

Chemical disinfectants and antiseptics – quantitative suspension method for the evaluation of fungicidal or biocidal effect on yeast-like fungi in the medical area. Test method and requirements (phase 2, stage 1).

PN-EN 13727+A2:2015-12

Chemical disinfectants and antiseptics – quantitative suspension method for the evaluation of antibacterial effect in the medical area. Test method and requirements (phase 2, stage 1).

PN-EN 1500:2013

Chemical disinfectants and antiseptics - Hygienic hand rub - Test method and requirements (phase 2/step 2). According to the standard, a disinfectant is effective if the results meet the acceptance criteria and the statistical analysis of the obtained data proves that the tested product has no lesser antimicrobial efficacy than the reference product.

| Norm | Type of microorganism | Time to obtain the biocidal effect |
|-------------------------------|--|---|
| PN-EN 13624:2013-12 | Candida albicans ATCC 10231 Aspergillus brasiliensis ATCC 16404 | 30 sec +/- 5 sec – hygienic disinfection of surfaces 180 sec +/- 5 sec – surgical disinfection |
| PN-EN 13727+A2:2015-12 | Escherichia coli K12 NCTC 10538 Staphylococcus aureus ATCC 6538 Pseudomonas aeruginosa ATCC 15442 Enterococcus hirae ATCC 10541 | 30 sec +/- 5 sec – hygienic disinfection of surfaces 60 sec +/- 5 sec – surgical disinfection |
| PN-EN 1500:2013 | Escherichia coli K12 NCTC 10538 | 60 sec +/- 5 sec |
| PN-EN 14476+A2:2019-08 | In progress | |

The legal basis for the research is: Act of October 9, 2015 on biocidal products

PERMIT:

- **Poland:** URPLW MiPB No 0311/TP/2020
- **Germany:** BAuA REG Nr N-91964
- **France:** LE NUMERO D'INVENTARE: 63329

ITSEPTIC Hand disinfectant wet wipes

| Index | FR0106 |
|---------------------|----------------------------------|
| EAN code | 5900488998316 |
| Pieces per carton | 12 |
| Pieces per pallet | 2016 |
| Gross weight | 0,15 kg |
| Net weight | 0,10 kg |
| Wet wipes per piece | 100 |
| Wipe's size | 7 cm x 15 cm |
| Expiration date | 3 years from the production date |
| Wipe's material | crepe 40 gsm |
| Package | PP can |
| Storage durability | 5 – 25 °C |



Features

Moistened hand disinfection wipes with cleansing and refreshing properties. For use directly on the skin without rinsing with water. Wipes soaked in a liquid that contains a high concentration of alcohol, above 70%. Aloe extract and glycerine contained in the composition moisturize the skin and protect it from excessive drying. The product is recommended for everyday use on the skin of the hands.

Application

Wipe dry, clean hands with a damp tissue for 30 seconds and allow to absorb. Always carefully and tightly close the container (dried wipes do not provide a disinfecting effect).

Areas of application

- hand disinfection in the area of public transport
- hand disinfection in service and commercial places
- hand disinfection in the medical area (excluding surgical procedures)
- hand disinfection in educational institutions
- hand disinfection in beauty and hairdressing salons
- hand disinfection while traveling
- hand disinfection in offices and workplaces
- hand disinfection at gas stations
- hand disinfection in fitness clubs and gyms
- hand disinfection in restaurants

Characteristics of the soaking fluid

| | |
|--|--------------------------------------|
| Type of soaking fluid | alcohol-based |
| pH of the soaking fluid | 6,5 – 7,0 |
| Soaking fluid density at 20 ° C [g/cm ³] | 0,89 |
| The active substance | Ethanol 70 g / 100 g |
| Smell | characteristic, alcoholic, with mint |
| Appearance | transparent liquid |

Studies

PN-EN 13624:2013-12

Chemical disinfectants and antiseptics – quantitative suspension method for the evaluation of fungicidal or biocidal effect on yeast-like fungi in the medical area. Test method and requirements (phase 2, stage 1).

PN-EN 13727+A2:2015-12

Chemical disinfectants and antiseptics – quantitative suspension method for the evaluation of antibacterial effect in the medical area. Test method and requirements (phase 2, stage 1).

PN-EN 1500:2013

Chemical disinfectants and antiseptics - Hygienic hand rub - Test method and requirements (phase 2/step 2). According to the standard, a disinfectant is effective if the results meet the acceptance criteria and the statistical analysis of the obtained data proves that the tested product has no lesser antimicrobial efficacy than the reference product.

| Norm | Type of microorganism | Time to obtain the biocidal effect |
|-------------------------------|--|---|
| PN-EN 13624:2013-12 | Candida albicans ATCC 10231 Aspergillus brasiliensis ATCC 16404 | 30 sec +/- 5 sec – hygienic disinfection of surfaces 180 sec +/- 5 sec – surgical disinfection |
| PN-EN 13727+A2:2015-12 | Escherichia coli K12 NCTC 10538 Staphylococcus aureus ATCC 6538 Pseudomonas aeruginosa ATCC 15442 Enterococcus hirae ATCC 10541 | 30 sec +/- 5 sec – hygienic disinfection of surfaces 60 sec +/- 5 sec – surgical disinfection |
| PN-EN 1500:2013 | Escherichia coli K12 NCTC 10538 | 60 sec +/- 5 sec |
| PN-EN 14476+A2:2019-08 | In progress | |

The legal basis for the research is: Act of October 9, 2015 on biocidal products

PERMIT:

- **Poland:** URPLW MiPB No 0311/TP/2020
- **Germany:** BAuA REG Nr N-91964
- **France:** LE NUMERO D'INVENTARE: 63329

ITSEPTIC Hand disinfectant wet wipes

| Index | FR0107 |
|---------------------|----------------------------------|
| EAN code | 5900488998316 |
| Pieces per carton | 20 |
| Pieces per pallet | 1080 |
| Gross weight | 0,27 kg |
| Net weight | 0,20 kg |
| Wet wipes per piece | 100 |
| Wipe's size | 13 cm x 15 cm |
| Expiration date | 3 years from the production date |
| Wipe's material | crepe 40 gsm |
| Package | PP can |
| Storage durability | 5 – 25 °C |



Features

Moistened hand disinfection wipes with cleansing and refreshing properties. For use directly on the skin without rinsing with water. Wipes soaked in a liquid that contains a high concentration of alcohol, above 70%. Aloe extract and glycerine contained in the composition moisturize the skin and protect it from excessive drying. The product is recommended for everyday use on the skin of the hands.

Application

Wipe dry, clean hands with a damp tissue for 30 seconds and allow to absorb. Always carefully and tightly close the container (dried wipes do not provide a disinfecting effect).

Areas of application

- hand disinfection in the area of public transport
- hand disinfection in service and commercial places
- hand disinfection in the medical area (excluding surgical procedures)
- hand disinfection in educational institutions
- hand disinfection in beauty and hairdressing salons
- hand disinfection while traveling
- hand disinfection in offices and workplaces
- hand disinfection at gas stations
- hand disinfection in fitness clubs and gyms
- hand disinfection in restaurants

Characteristics of the soaking fluid

| | |
|--|--------------------------------------|
| Type of soaking fluid | alcohol-based |
| pH of the soaking fluid | 6,5 – 7,0 |
| Soaking fluid density at 20 ° C [g/cm ³] | 0,89 |
| The active substance | Ethanol 70 g / 100 g |
| Smell | characteristic, alcoholic, with mint |
| Appearance | transparent liquid |

Studies

PN-EN 13624:2013-12

Chemical disinfectants and antiseptics – quantitative suspension method for the evaluation of fungicidal or biocidal effect on yeast-like fungi in the medical area. Test method and requirements (phase 2, stage 1).

PN-EN 13727+A2:2015-12

Chemical disinfectants and antiseptics – quantitative suspension method for the evaluation of antibacterial effect in the medical area. Test method and requirements (phase 2, stage 1).

PN-EN 1500:2013

Chemical disinfectants and antiseptics - Hygienic hand rub - Test method and requirements (phase 2/step 2). According to the standard, a disinfectant is effective if the results meet the acceptance criteria and the statistical analysis of the obtained data proves that the tested product has no lesser antimicrobial efficacy than the reference product.

| Norm | Type of microorganism | Time to obtain the biocidal effect |
|-------------------------------|--|---|
| PN-EN 13624:2013-12 | Candida albicans ATCC 10231 Aspergillus brasiliensis ATCC 16404 | 30 sec +/- 5 sec – hygienic disinfection of surfaces 180 sec +/- 5 sec – surgical disinfection |
| PN-EN 13727+A2:2015-12 | Escherichia coli K12 NCTC 10538 Staphylococcus aureus ATCC 6538 Pseudomonas aeruginosa ATCC 15442 Enterococcus hirae ATCC 10541 | 30 sec +/- 5 sec – hygienic disinfection of surfaces 60 sec +/- 5 sec – surgical disinfection |
| PN-EN 1500:2013 | Escherichia coli K12 NCTC 10538 | 60 sec +/- 5 sec |
| PN-EN 14476+A2:2019-08 | In progress | |

The legal basis for the research is: Act of October 9, 2015 on biocidal products

PERMIT:

- **Poland:** URPLWMiPB No 0311/TP/2020
- **Germany:** BAuA REG Nr N-91964
- **France:** LE NUMERO D'INVENTARE: 63329

ITSEPTIC Hand disinfectant wet wipes

| Index | FR0120 |
|---------------------|----------------------------------|
| EAN code | 5900488998460 |
| Pieces per carton | 20 |
| Pieces per pallet | 800 |
| Gross weight | 0,57 kg |
| Net weight | 0,50 kg |
| Wet wipes per piece | 150 |
| Wipe's size | 12 cm x 24 cm |
| Expiration date | 3 years from the production date |
| Wipe's material | crepe 40 gsm |
| Package | PP can |
| Storage durability | 5 – 25 °C |



Features

Moistened hand disinfection wipes with cleansing and refreshing properties. For use directly on the skin without rinsing with water. Wipes soaked in a liquid that contains a high concentration of alcohol, above 70%. Aloe extract and glycerine contained in the composition moisturize the skin and protect it from excessive drying. The product is recommended for everyday use on the skin of the hands.

Application

Wipe dry, clean hands with a damp tissue for 30 seconds and allow to absorb. Always carefully and tightly close the container (dried wipes do not provide a disinfecting effect).

Areas of application

- hand disinfection in the area of public transport
- hand disinfection in service and commercial places
- hand disinfection in the medical area (excluding surgical procedures)
- hand disinfection in educational institutions
- hand disinfection in beauty and hairdressing salons
- hand disinfection while traveling
- hand disinfection in offices and workplaces
- hand disinfection at gas stations
- hand disinfection in fitness clubs and gyms
- hand disinfection in restaurants

Characteristics of the soaking fluid

| | |
|--|--------------------------------------|
| Type of soaking fluid | alcohol-based |
| pH of the soaking fluid | 6,5 – 7,0 |
| Soaking fluid density at 20 ° C [g/cm ³] | 0,89 |
| The active substance | Ethanol 70 g / 100 g |
| Smell | characteristic, alcoholic, with mint |
| Appearance | transparent liquid |

Studies

PN-EN 13624:2013-12

Chemical disinfectants and antiseptics – quantitative suspension method for the evaluation of fungicidal or biocidal effect on yeast-like fungi in the medical area. Test method and requirements (phase 2, stage 1).

PN-EN 13727+A2:2015-12

Chemical disinfectants and antiseptics – quantitative suspension method for the evaluation of antibacterial effect in the medical area. Test method and requirements (phase 2, stage 1).

PN-EN 1500:2013

Chemical disinfectants and antiseptics - Hygienic hand rub - Test method and requirements (phase 2/step 2). According to the standard, a disinfectant is effective if the results meet the acceptance criteria and the statistical analysis of the obtained data proves that the tested product has no lesser antimicrobial efficacy than the reference product.

| Norm | Type of microorganism | Time to obtain the biocidal effect |
|-------------------------------|--|---|
| PN-EN 13624:2013-12 | Candida albicans ATCC 10231 Aspergillus brasiliensis ATCC 16404 | 30 sec +/- 5 sec – hygienic disinfection of surfaces 180 sec +/- 5 sec – surgical disinfection |
| PN-EN 13727+A2:2015-12 | Escherichia coli K12 NCTC 10538 Staphylococcus aureus ATCC 6538 Pseudomonas aeruginosa ATCC 15442 Enterococcus hirae ATCC 10541 | 30 sec +/- 5 sec – hygienic disinfection of surfaces 60 sec +/- 5 sec – surgical disinfection |
| PN-EN 1500:2013 | Escherichia coli K12 NCTC 10538 | 60 sec +/- 5 sec |
| PN-EN 14476+A2:2019-08 | In progress | |

The legal basis for the research is: Act of October 9, 2015 on biocidal products

**PERMIT:**

- **Poland:** URPLW MiPB No 0308/TP/2020
- **Germany:** BAuA REG Nr N-91963
- **France:** LE NUMERO D'INVENTARE: 63327

ITSEPTIC Hand disinfectant liquid

| Index | FR0124 |
|--------------------|----------------------------------|
| EAN code | 5900488998514 |
| Pieces per pallet | 96 |
| Gross weight | 4,24 kg |
| Net weight | 3,96 kg |
| Bottle size | 19,6 x 14,8 x 25 cm |
| Volume | 5 l |
| Expiration date | 3 years from the production date |
| Package | Canister HDPE |
| Storage durability | 5 – 25 °C |



Features

Hand disinfectant with cleansing and refreshing properties. For use directly on the skin without rinsing with water. Formula based on alcohol (> 70%). Aloe extract and glycerine contained in the composition moisturize the skin and protect it from excessive drying.

Application

Spray a small amount of the liquid onto dry, clean hands. Rub it in for 30 seconds and let it absorb. The hands must be kept moist throughout the disinfection process. Do not rinse. Recommended for common, everyday use.

Areas of application

- hand disinfection in the area of public transport
- hand disinfection in service and commercial places
- hand disinfection in the medical area (excluding surgical procedures)
- hand disinfection in educational institutions
- hand disinfection in beauty and hairdressing salons
- hand disinfection while traveling
- hand disinfection in offices and workplaces
- hand disinfection at gas stations
- hand disinfection in fitness clubs and gyms
- hand disinfection in restaurants

Characteristics of the soaking fluid

| | |
|--|--------------------------------------|
| Type of soaking fluid | alcohol-based |
| pH of the soaking fluid | 6,5 – 7,0 |
| Soaking fluid density at 20 ° C [g/cm ³] | 0,89 |
| The active substance | Ethanol 70 g / 100 g |
| Smell | characteristic, alcoholic, with mint |
| Appearance | transparent liquid |

Studies

PN-EN 13624:2013-12

Chemical disinfectants and antiseptics – quantitative suspension method for the evaluation of fungicidal or biocidal effect on yeast-like fungi in the medical area. Test method and requirements (phase 2, stage 1).

PN-EN 13727+A2:2015-12

Chemical disinfectants and antiseptics – quantitative suspension method for the evaluation of antibacterial effect in the medical area. Test method and requirements (phase 2, stage 1).

PN-EN 1500:2013

Chemical disinfectants and antiseptics - Hygienic hand rub - Test method and requirements (phase 2/step 2). According to the standard, a disinfectant is effective if the results meet the acceptance criteria and the statistical analysis of the obtained data proves that the tested product has no lesser antimicrobial efficacy than the reference product.

| Norm | Type of microorganism | Time to obtain the biocidal effect |
|-------------------------------|--|---|
| PN-EN 13624:2013-12 | Candida albicans ATCC 10231 Aspergillus brasiliensis ATCC 16404 | 30 sec +/- 5 sec – hygienic disinfection of surfaces 180 sec +/- 5 sec – surgical disinfection |
| PN-EN 13727+A2:2015-12 | Escherichia coli K12 NCTC 10538 Staphylococcus aureus ATCC 6538 Pseudomonas aeruginosa ATCC 15442 Enterococcus hirae ATCC 10541 | 30 sec +/- 5 sec – hygienic disinfection of surfaces 60 sec +/- 5 sec – surgical disinfection |
| PN-EN 1500:2013 | Escherichia coli K12 NCTC 10538 | 60 sec +/- 5 sec |
| PN-EN 14476+A2:2019-08 | In progress | |


The legal basis for the research is: Act of October 9, 2015 on biocidal products

PERMIT:

- **Poland:** URPLWMIpB No 0312/TP/2020
- **Germany:** BAuA REG Nr N-92413
- **France:** LE NUMERO D'INVENTARE: 63326

ITSEPTIC Liquid for cleaning and disinfecting surfaces

| Indeks | FR0115 |
|---------------------------|----------------------------------|
| EAN code | 5900488998408 |
| Pieces per carton | 12 |
| Pieces per pallet | 2016 |
| Gross weight | 0,245 kg |
| Net weight | 0,2 kg |
| Bottle size | 5,2 x 5,2 x 19,5 cm |
| Volume | 250 ml |
| Expiration date | 3 years from the production date |
| Package | HDPE bottle |
| Storage durability | 5 – 25 °C |



Features

Liquid for cleaning and disinfecting surfaces. Recommended for home and professional use; for disinfection, among others equipment and space in offices, educational, commercial and recreational facilities (fitness clubs, solariums). The liquid is intended for disinfecting alcohol-resistant surfaces. It has bactericidal, fungicidal and virucidal properties.

Application

Apply the product to clean surfaces and leave for 5 minutes. The surface must be constantly moist throughout the entire period of operation of the product. It does not require rinsing.

Areas of application

- **Toilets:** all alcohol-resistant surfaces
- **Offices:** all alcohol-resistant surfaces
- **Public transport:** all alcohol-resistant surfaces
- **Shopping centres:** all alcohol-resistant surfaces
- **Educational institutions:** all alcohol-resistant surfaces
- **Gym and fitness clubs:** all alcohol-resistant surfaces
- **Tattoo parlours:** all alcohol-resistant surfaces, except tools
- **Hairdressing salons:** all alcohol-resistant surfaces, except tools
- **Beauty salons:** all alcohol-resistant surfaces

Characteristics of the soaking fluid

| | |
|--|--|
| Type of soaking fluid | Type of soaking fluid |
| pH of the soaking fluid | pH of the soaking fluid |
| Soaking fluid density at 20 ° C [g/cm ³] | Soaking fluid density at 20 ° C [g/cm ³] |
| The active substance | The active substance |
| Smell | Smell |
| Appearance | Appearance |

Studies

PN-EN 13697+A1:2019-08

Chemical disinfectants and antiseptics – quantitative method for the determination of the antibacterial and antifungal effect of chemical disinfectants used in the food sector, industrial and domestic conditions, and in public utility facilities in relation to non-porous surfaces. Test method and requirements (phase 2, stage 2).

PN-EN 13624:2013-12

Chemical disinfectants and antiseptics – quantitative suspension method for the evaluation of fungicidal or biocidal effect on yeast-like fungi in the medical area. Test method and requirements (phase 2, stage 1).

PN-EN 16615:2015-06

Chemical disinfectants and antiseptics – quantitative method to determine the antibacterial and biocidal effect on yeast-like fungi on non-porous surfaces using mechanical action by tissue wiping in the medical area (tested on 4 fields). Test method and requirements (phase 2, stage 2).

| Norma | Type of microorganism | Time to obtain the biocidal effect |
|------------------------|--|---|
| PN-EN 13697+A1:2019-08 | Staphylococcus aureus ATCC 6538 Pseudomonas aeruginosa ATCC 15442 Escherichia coli ATCC 10536 Enterococcus hirae ATCC 10541 | 5 minutes |
| | Candida albicans ATCC 10231 Aspergillus brasiliensis ATCC 16404 | 15 minutes |
| PN-EN 13624:2013-12 | Candida albicans ATCC 10231 Aspergillus brasiliensis ATCC 16404 | 30 sec +/- 5 sec – hygienic disinfection of surfaces 180 sec +/- 5 sec – surgical disinfection |
| PN-EN 16615:2015-06 | Staphylococcus aureus ATCC 6538 Pseudomonas aeruginosa ATCC 15442 Enterococcus hirae ATCC 10541 Candida albicans ATCC 10231 | 15 minutes |
| PN-EN 14476+A2:2019-08 | in progress | |

The legal basis for the research is: Act of October 9, 2015 on biocidal products

ITSEPTIC

SOLUTIONS

PERMIT:

- **Poland:** URPLWMIpB No 0312/TP/2020
- **Germany:** BAuA REG Nr N-92413
- **France:** LE NUMERO D'INVENTARE: 63326

ITSEPTIC Liquid for cleaning and disinfecting surfaces

| Indeks | FR0117 |
|--------------------|----------------------------------|
| EAN code | 5900488998422 |
| Pieces per carton | 18 |
| Pieces per pallet | 756 |
| Gross weight | 0,50 kg |
| Net weight | 0,45 kg |
| Bottle size | 9,2 x 7,5 x 20 cm |
| Volume | 500 ml |
| Expiration date | 3 years from the production date |
| Package | HDPE bottle |
| Storage durability | 5 – 25 °C |



Features

Liquid for cleaning and disinfecting surfaces. Recommended for home and professional use; for disinfection, among others equipment and space in offices, educational, commercial and recreational facilities (fitness clubs, solariums). The liquid is intended for disinfecting alcohol-resistant surfaces. It has bactericidal, fungicidal and virucidal properties.

Application

Apply the product to clean surfaces and leave for 5 minutes. The surface must be constantly moist throughout the entire period of operation of the product. It does not require rinsing.

Areas of application

- **Toilets:** all alcohol-resistant surfaces
- **Offices:** all alcohol-resistant surfaces
- **Public transport:** all alcohol-resistant surfaces
- **Shopping centres:** all alcohol-resistant surfaces
- **Educational institutions:** all alcohol-resistant surfaces
- **Gym and fitness clubs:** all alcohol-resistant surfaces
- **Tattoo parlours:** all alcohol-resistant surfaces, except tools
- **Hairdressing salons:** all alcohol-resistant surfaces, except tools
- **Beauty salons:** all alcohol-resistant surfaces

Characteristics of the soaking fluid

| | |
|--|--|
| Type of soaking fluid | Type of soaking fluid |
| pH of the soaking fluid | pH of the soaking fluid |
| Soaking fluid density at 20 ° C [g/cm ³] | Soaking fluid density at 20 ° C [g/cm ³] |
| The active substance | The active substance |
| Smell | Smell |
| Appearance | Appearance |

Studies

PN-EN 13697+A1:2019-08

Chemical disinfectants and antiseptics – quantitative method for the determination of the antibacterial and antifungal effect of chemical disinfectants used in the food sector, industrial and domestic conditions, and in public utility facilities in relation to non-porous surfaces. Test method and requirements (phase 2, stage 2).

PN-EN 13624:2013-12

Chemical disinfectants and antiseptics – quantitative suspension method for the evaluation of fungicidal or biocidal effect on yeast-like fungi in the medical area. Test method and requirements (phase 2, stage 1).

PN-EN 16615:2015-06

Chemical disinfectants and antiseptics – quantitative method to determine the antibacterial and biocidal effect on yeast-like fungi on non-porous surfaces using mechanical action by tissue wiping in the medical area (tested on 4 fields). Test method and requirements (phase 2, stage 2).

| Norma | Type of microorganism | Time to obtain the biocidal effect |
|------------------------|--|---|
| PN-EN 13697+A1:2019-08 | Staphylococcus aureus ATCC 6538 Pseudomonas aeruginosa ATCC 15442 Escherichia coli ATCC 10536 Enterococcus hirae ATCC 10541 | 5 minutes |
| | Candida albicans ATCC 10231 Aspergillus brasiliensis ATCC 16404 | 15 minutes |
| PN-EN 13624:2013-12 | Candida albicans ATCC 10231 Aspergillus brasiliensis ATCC 16404 | 30 sec +/- 5 sec – hygienic disinfection of surfaces 180 sec +/- 5 sec – surgical disinfection |
| PN-EN 16615:2015-06 | Staphylococcus aureus ATCC 6538 Pseudomonas aeruginosa ATCC 15442 Enterococcus hirae ATCC 10541 Candida albicans ATCC 10231 | 15 minutes |
| PN-EN 14476+A2:2019-08 | in progress | |

The legal basis for the research is: Act of October 9, 2015 on biocidal products

PERMIT:

- **Poland:** URPLWMIpB No 0312/TP/2020
- **Germany:** BAuA REG Nr N-92413
- **France:** LE NUMERO D'INVENTARE: 63326

ITSEPTIC Liquid for cleaning and disinfecting surfaces

| Indeks | FR0119 |
|--------------------|----------------------------------|
| EAN code | 5900488998446 |
| Pieces per carton | 8 |
| Pieces per pallet | 400 |
| Gross weight | 0,95 kg |
| Net weight | 0,90 kg |
| Bottle size | 9,4 x 9,4 x 30,2 cm |
| Volume | 1000 ml |
| Expiration date | 3 years from the production date |
| Package | HDPE bottle |
| Storage durability | 5 – 25 °C |



Features

Liquid for cleaning and disinfecting surfaces. Recommended for home and professional use; for disinfection, among others equipment and space in offices, educational, commercial and recreational facilities (fitness clubs, solariums). The liquid is intended for disinfecting alcohol-resistant surfaces. It has bactericidal, fungicidal and virucidal properties.

Application

Apply the product to clean surfaces and leave for 5 minutes. The surface must be constantly moist throughout the entire period of operation of the product. It does not require rinsing.

Areas of application

- **Toilets:** all alcohol-resistant surfaces
- **Offices:** all alcohol-resistant surfaces
- **Public transport:** all alcohol-resistant surfaces
- **Shopping centres:** all alcohol-resistant surfaces
- **Educational institutions:** all alcohol-resistant surfaces
- **Gym and fitness clubs:** all alcohol-resistant surfaces
- **Tattoo parlours:** all alcohol-resistant surfaces, except tools
- **Hairdressing salons:** all alcohol-resistant surfaces, except tools
- **Beauty salons:** all alcohol-resistant surfaces

Characteristics of the soaking fluid

| | |
|--|--|
| Type of soaking fluid | Type of soaking fluid |
| pH of the soaking fluid | pH of the soaking fluid |
| Soaking fluid density at 20 ° C [g/cm ³] | Soaking fluid density at 20 ° C [g/cm ³] |
| The active substance | The active substance |
| Smell | Smell |
| Appearance | Appearance |

Studies

PN-EN 13697+A1:2019-08

Chemical disinfectants and antiseptics – quantitative method for the determination of the antibacterial and antifungal effect of chemical disinfectants used in the food sector, industrial and domestic conditions, and in public utility facilities in relation to non-porous surfaces. Test method and requirements (phase 2, stage 2).

PN-EN 13624:2013-12

Chemical disinfectants and antiseptics – quantitative suspension method for the evaluation of fungicidal or biocidal effect on yeast-like fungi in the medical area. Test method and requirements (phase 2, stage 1).

PN-EN 16615:2015-06

Chemical disinfectants and antiseptics – quantitative method to determine the antibacterial and biocidal effect on yeast-like fungi on non-porous surfaces using mechanical action by tissue wiping in the medical area (tested on 4 fields). Test method and requirements (phase 2, stage 2).

| Norma | Type of microorganism | Time to obtain the biocidal effect |
|------------------------|--|---|
| PN-EN 13697+A1:2019-08 | Staphylococcus aureus ATCC 6538 Pseudomonas aeruginosa ATCC 15442 Escherichia coli ATCC 10536 Enterococcus hirae ATCC 10541 | 5 minutes |
| | Candida albicans ATCC 10231 Aspergillus brasiliensis ATCC 16404 | 15 minutes |
| PN-EN 13624:2013-12 | Candida albicans ATCC 10231 Aspergillus brasiliensis ATCC 16404 | 30 sec +/- 5 sec – hygienic disinfection of surfaces 180 sec +/- 5 sec – surgical disinfection |
| PN-EN 16615:2015-06 | Staphylococcus aureus ATCC 6538 Pseudomonas aeruginosa ATCC 15442 Enterococcus hirae ATCC 10541 Candida albicans ATCC 10231 | 15 minutes |
| PN-EN 14476+A2:2019-08 | in progress | |

The legal basis for the research is: Act of October 9, 2015 on biocidal products



PERMIT:

- **Poland:** URPLW MiPB No 0310/TP/2020
- **Germany:** BAuA REG Nr N-91968
- **France:** LE NUMERO D'INVENTARE: 63330

ITSEPTIC Wet wipes for cleaning and disinfecting surfaces

| Index | FR0112 |
|---------------------|----------------------------------|
| EAN code | 5900488998378 |
| Pieces per carton | 20 |
| Pieces per pallet | 1080 |
| Gross weight | 0,25 kg |
| Net weight | 0,21 kg |
| Wet wipes per piece | 100 |
| Wipe's size | 12 cm x 24 cm |
| Expiration date | 3 years from the production date |
| Wipe's material | crepe 40 gsm |
| Package | PP can |
| Storage durability | 5 – 25 °C |



Features

Wipes soaked in a disinfectant for cleaning and disinfecting surfaces. Recommended for home and professional use. They show bactericidal, fungicidal and virucidal properties.

Application

Carefully wipe the surfaces with a tissue. Disinfected surfaces should be moist for the indicated contact time. It does not require rinsing. Always close the container carefully and tightly (dried wipes do not provide a disinfecting effect).

Areas of application

- **Toilets:** all alcohol-resistant surfaces
- **Offices:** all alcohol-resistant surfaces
- **Public transport:** all alcohol-resistant surfaces
- **Shopping centres:** all alcohol-resistant surfaces
- **Educational institutions:** all alcohol-resistant surfaces
- **Gym and fitness clubs:** all alcohol-resistant surfaces
- **Tattoo parlours:** all alcohol-resistant surfaces, except tools
- **Hairdressing salons:** all alcohol-resistant surfaces, except tools
- **Beauty salons:** all alcohol-resistant surfaces

Characteristics of the soaking fluid

| | |
|--|--------------------------------------|
| Type of soaking fluid | alcohol-based |
| pH of the soaking fluid | 6,5 – 7,0 |
| Soaking fluid density at 20 ° C [g/cm ³] | 0,89 |
| The active substance | Ethanol 70 g / 100 g |
| Smell | characteristic, alcoholic, with mint |
| Appearance | transparent liquid |

Studies

PN-EN 13697+A1:2019-08

Chemical disinfectants and antiseptics – quantitative method for the determination of the antibacterial and antifungal effect of chemical disinfectants used in the food sector, industrial and domestic conditions, and in public utility facilities in relation to non-porous surfaces. Test method and requirements (phase 2, stage 2).

PN-EN 13624:2013-12

Chemical disinfectants and antiseptics – quantitative suspension method for the evaluation of fungicidal or biocidal effect on yeast-like fungi in the medical area. Test method and requirements (phase 2, stage 1).

PN-EN 16615:2015-06

Chemical disinfectants and antiseptics – quantitative method to determine the antibacterial and biocidal effect on yeast-like fungi on non-porous surfaces using mechanical action by tissue wiping in the medical area (tested on 4 fields). Test method and requirements (phase 2, stage 2).

| Norm | Type of microorganism | Time to obtain the biocidal effect |
|------------------------|--|---|
| PN-EN 13697+A1:2019-08 | Staphylococcus aureus ATCC 6538 Pseudomonas aeruginosa ATCC 15442 Escherichia coli ATCC 10536 Enterococcus hirae ATCC 10541 | 5 minutes |
| | Candida albicans ATCC 10231 Aspergillus brasiliensis ATCC 16404 | 15 minutes |
| PN-EN 13624:2013-12 | Candida albicans ATCC 10231 Aspergillus brasiliensis ATCC 16404 | 30 sec +/- 5 sec – hygienic disinfection of surfaces 180 sec +/- 5 sec – surgical disinfection |
| PN-EN 16615:2015-06 | Staphylococcus aureus ATCC 6538 Pseudomonas aeruginosa ATCC 15442 Enterococcus hirae ATCC 10541 Candida albicans ATCC 10231 | 15 minutes |
| PN-EN 14476+A2:2019-08 | in progress | |

The legal basis for the research is: Act of October 9, 2015 on biocidal products



PERMIT:

- **Poland:** URPLW MiPB No 0310/TP/2020
- **Germany:** BAuA REG Nr N-91968
- **France:** LE NUMERO D'INVENTARE: 63330

ITSEPTIC Wet wipes for cleaning and disinfecting surfaces

| Index | FR0113 |
|----------------------------|----------------------------------|
| EAN code | 5900488998385 |
| Pieces per carton | 12 |
| Pieces per pallet | 576 |
| Gross weight | 0,6 kg |
| Net weight | 0,51 kg |
| Wet wipes per piece | 150 |
| Wipe's size | 12 cm x 24 cm |
| Expiration date | 3 years from the production date |
| Wipe's material | crepe 40 gsm |
| Package | PP can |
| Storage durability | 5 – 25 °C |



Features

Wipes soaked in a disinfectant for cleaning and disinfecting surfaces. Recommended for home and professional use. They show bactericidal, fungicidal and virucidal properties.

Application

Carefully wipe the surfaces with a tissue. Disinfected surfaces should be moist for the indicated contact time. It does not require rinsing. Always close the container carefully and tightly (dried wipes do not provide a disinfecting effect).

Areas of application

- **Toilets:** all alcohol-resistant surfaces
- **Offices:** all alcohol-resistant surfaces
- **Public transport:** all alcohol-resistant surfaces
- **Shopping centres:** all alcohol-resistant surfaces
- **Educational institutions:** all alcohol-resistant surfaces
- **Gym and fitness clubs:** all alcohol-resistant surfaces
- **Tattoo parlours:** all alcohol-resistant surfaces, except tools
- **Hairdressing salons:** all alcohol-resistant surfaces, except tools
- **Beauty salons:** all alcohol-resistant surfaces

Characteristics of the soaking fluid

| | |
|--|--------------------------------------|
| Type of soaking fluid | alcohol-based |
| pH of the soaking fluid | 6,5 – 7,0 |
| Soaking fluid density at 20 ° C [g/cm ³] | 0,89 |
| The active substance | Ethanol 70 g / 100 g |
| Smell | characteristic, alcoholic, with mint |
| Appearance | transparent liquid |

Studies

PN-EN 13697+A1:2019-08

Chemical disinfectants and antiseptics – quantitative method for the determination of the antibacterial and antifungal effect of chemical disinfectants used in the food sector, industrial and domestic conditions, and in public utility facilities in relation to non-porous surfaces. Test method and requirements (phase 2, stage 2).

PN-EN 13624:2013-12

Chemical disinfectants and antiseptics – quantitative suspension method for the evaluation of fungicidal or biocidal effect on yeast-like fungi in the medical area. Test method and requirements (phase 2, stage 1).

PN-EN 16615:2015-06

Chemical disinfectants and antiseptics – quantitative method to determine the antibacterial and biocidal effect on yeast-like fungi on non-porous surfaces using mechanical action by tissue wiping in the medical area (tested on 4 fields). Test method and requirements (phase 2, stage 2).

| Norma | Type of microorganism | Time to obtain the biocidal effect |
|------------------------|--|---|
| PN-EN 13697+A1:2019-08 | Staphylococcus aureus ATCC 6538 Pseudomonas aeruginosa ATCC 15442 Escherichia coli ATCC 10536 Enterococcus hirae ATCC 10541 | 5 minutes |
| | Candida albicans ATCC 10231 Aspergillus brasiliensis ATCC 16404 | 15 minutes |
| PN-EN 13624:2013-12 | Candida albicans ATCC 10231 Aspergillus brasiliensis ATCC 16404 | 30 sec +/- 5 sec – hygienic disinfection of surfaces 180 sec +/- 5 sec – surgical disinfection |
| | Staphylococcus aureus ATCC 6538 Pseudomonas aeruginosa ATCC 15442 Enterococcus hirae ATCC 10541 Candida albicans ATCC 10231 | 15 minutes |
| PN-EN 14476+A2:2019-08 | in progress | |

The legal basis for the research is: Act of October 9, 2015 on biocidal products