

Wirksamkeit von Bacoban WB 1,0% gegenüber **Bakterien**

- *Actinomyces israelii*
- *Actinomyces* spp.
- *Acinetobacter baumannii*
- *Acinetobacter Iwoffii*
- *Acinetobacter* spp.
- *Aeromonas* spp.
- *Alcaligenes faecalis*
- *Alcaligenes* spp. / *Achromobacter* spp.
- *Alcaligenes xylosoxidans* (inkl. ESBL/MRGN)
- *Bacteroides fragilis*
- *Bartonella quintana*
- *Bordetella pertussis*
- *Borrelia burgdorferi*
- *Borrelia duttoni*
- *Borrelia recurrentis*
- *Brevundimonas diminuta*
- *Brevundimonas vesicularis*
- *Brucella* spp.
- *Burkholderia cepacia* (inkl. MDR)
- *Burkholderia mallei*
- *Burkholderia pseudomallei*
- *Campylobacter jejuni* / *coli*
- *Chlamydia pneumoniae*
- *Chlamydia psittaci*
- *Chlamydia trachomatis*
- *Citrobacter* spp.
- *Corynebacterium diphtheriae*
- *Corynebacterium pseudotuberculosis*
- *Corynebacterium* spp.
- *Corynebacterium ulcerans*
- *Coxiella burnetii*
- *Enterobacter aerogenes*
- *Enterobacter cloacae* (inkl. ESBL/MRGN)
- *Enterococcus faecalis* (inkl. VRE)
- *Enterococcus faecium* (inkl. VRE)
- *Enterococcus hirae*
- *Escherichia coli* (inkl. EHEC, EPEC, ETEC, EIEC, EAEC, ESBL/MRGN, DAEC)
- *Francisella tularensis*
- *Haemophilus influenzae*
- *Helicobacter pylori*
- *Klebsiella granulomatis*
- *Klebsiella oxytoca* (inkl. ESBL/MRGN)
- *Klebsiella pneumoniae* (inkl. MDR, ESBL/MRGN)
- *Leclercia adecarboxylata*
- *Legionella pneumophila*
- *Leptospira interrogans*
- *Leuconostoc pseudomesenteroides*
- *Listeria monocytogenes*
- *Micrococcus luteus*
- *Morganella* spp.
- *Mycoplasma genitalium*
- *Mycoplasma pneumoniae*
- *Neisseria meningitidis*
- *Neisseria gonorrhoeae*
- *Nocardia asteroides*
- *Orientia tsutsugamushi*
- *Pantoea agglomerans*
- *Paracoccus yeei*
- *Prevotella* spp.
- *Propionibacterium* spp.
- *Proteus mirabilis* (inkl. ESBL/MRGN)
- *Proteus vulgaris*
- *Providencia rettgeri*
- *Providencia stuartii*
- *Pseudomonas aeruginosa*
- *Pseudomonas* spp.
- *Ralstonia* spp.
- *Rickettsia prowazekii*
- *Rickettsia typhi*
- *Roseomonas gilardii*
- *Salmonella enteritidis*
- *Salmonella paratyphi*
- *Salmonella* spp.
- *Salmonella typhi*
- *Salmonella typhimurium*
- *Serratia marcescens* (inkl. ESBL/MRGN)
- *Shigella sonnei*
- *Sphingomonas* spp.
- *Staphylococcus aureus* (inkl. MRSA, VRSA)
- *Staphylococcus capitis*
- *Staphylococcus epidermidis* (inkl. MRSE)
- *Staphylococcus haemolyticus*
- *Staphylococcus hominis*
- *Staphylococcus lugdunensis*
- *Staphylococcus pasteurii* (inkl. MRSA, VRSA)
- *Staphylococcus saprophyticus*
- *Stenotrophomonas maltophilia*
- *Streptococcus pneumoniae* (inkl. PRSP)
- *Streptococcus pyogenes*
- *Streptococcus* spp.
- *Treponema pallidum*
- *Vibrio cholerae*
- *Yersinia enterocolitica*
- *Yersinia pestis*
- *Yersinia pseudotuberculosis*

Wirksamkeit von Bacoban WB 1,0% gegenüber **Viren**

- Adenovirus (Bacoban WB 2,0 %)
- Andesvirus
- Arbovirus
- Bataivirus
- Bunyamwera-Virus
- California-Encephalitis-Virus
- Chapare-Virus
- Chikungunyavirus (CHIKV)
- Coronavirus (inkl. SARS- und MERS-CoV)
- Cytomegalie-Virus (CMV)
- Denguevirus
- Dobrava-Belgrad-Virus
- Duvenhage-Virus
- Eastern Equine Encephalitis-Virus
- Ebolavirus
- Epstein-Barr-Virus (EBV)
- Everglades-Virus
- FSME-Virus
- Gelbfiebertvirus
- Guanarito-Virus
- Hantavirus
- Hantaanvirus
- Hendra-Virus
- Hepatitis-B-Virus (HBV)
- Hepatitis-C-Virus (HCV)
- Hepatitis-D-Virus
- Herpes-simplex-Virus (HSV)
- Humane Papillomaviren (HPV)
- Humanes Coronavirus 229E
- Humanes Coronavirus OC43
- Humane Immundefizienz-Viren (HIV)
- Humanes Herpesvirus 6 (HHV-6)
- Humanes Herpesvirus 7 (HHV-7)
- Humanes Herpesvirus 8 (HHV-8)
- Humanes Metapneumonievirus
- Humanes T-lymphotropes Virus
- Influenzavirus A (z.B. H1N1, H3N2, H5N1) und B
- Japan Encephalitis-Virus
- Junivirus
- Krim-Kongo-Hämorrhagisches-Fieber-Virus
- Kyasanur Forest Disease-Virus
- Lassa-Virus
- Louping Ill-Virus
- Lujó-Virus
- Lymphozytäre Choriomeningitis-Virus (LCMV)
- Machupo-Virus
- Marburgvirus
- Masernvirus
- Mayaro-Virus
- MERS-CoV
- Molluscipoxvirus / Molluscum Contagiosum-Virus
- Mokola-Virus
- Mumpsvirus
- Nipah-Virus
- Norovirus
- O'nyong-nyong-Virus
- Oropouche-Virus
- Parainfluenzavirus
- Powassan-Virus
- Puumala-Virus
- Rabiesvirus (Tollwutvirus)
- Rift-Valley-Fieber-Virus
- Respiratorisches Syncytial-Virus
- Ross-River-Virus
- Rötelnvirus (Rubella)
- Rotavirus
- RSSE-Virus
- Sabia-Virus
- Sandfliegen-Fieber-Virus (z.B. Toskana-Virus)
- SARS-CoV
- Semliki-Forest-Virus
- Seoul-Virus
- Sindbis-Virus
- Sin-Nombre-Virus
- St. Louis Encephalitis-Virus
- Tacaribe-Virus
- Tollwutvirus
- Torovirus
- Usutu-Virus
- Vacciniavirus
- Variolavirus
- Varizella-Zoster-Virus (VZV)
- Vesicular Stomatitis-Virus
- West-Nil-Virus
- Zikavirus

Wirksamkeit von Bacoban WB 1,0% gegenüber **Pilzen**

- *Candida albicans*
- *Candida auris*
- *Candida famata*
- *Candida glabrata*
- *Candida guilliermondii*
- *Candida krusei*
- *Candida parapsilosis*
- *Candida stellatoidea*
- *Candida tropicalis*
- *Cryptococcus albidus*
- *Cryptococcus gattii*
- *Cryptococcus laurentii*
- *Cryptococcus neoformans*
- *Epidermophyton floccosum*
- *Microsporum audouinii*
- *Microsporum canis*
- *Microsporum cookei*
- *Microsporum distortum*
- *Microsporum ferrugineum*
- *Microsporum fulvum*
- *Microsporum gypseum*
- *Microsporum langeronii*
- *Microsporum nanum*
- *Microsporum persicolor*
- *Microsporum racemosum*
- *Microsporum rivalieri*
- *Microsporum vanbreuseghemii*
- *Trichophyton concentricum*
- *Trichophyton equinum*
- *Trichophyton erinacei*
- *Trichophyton gourvilii*
- *Trichophyton interdigitale*
(ehemals *Trichophyton mentagrophytes*)
- *Trichophyton megninii*
- *Trichophyton quinckeanum*
- *Trichophyton rubrum*
- *Trichophyton schoenleinii*
- *Trichophyton simii*
- *Trichophyton soudanense*
- *Trichophyton tonsurans*
- *Trichophyton verrucosum*
- *Trichophyton violaceum*
- *Trichophyton vanbreuseghemii*
- *Trichophyton yaoundei*

