


901 Mobile Phone Coating

PROPERTIES

- Splash resistant
- Scratch protection
- Creates a 9H Glass layer
- Completely undetectable
- Inhibits bacterial growth
- Easy-to-clean
- Easy-to-apply
- Bubble-free
- Significantly reduces micro-scratches
- With normal use lasts 1 year
- Withstands over 40.000 wiping actions
- For all devices, include "Edge" phones
- Blocks 80% of γ wave radiation. Radiation comes in many frequencies. You can't stop all frequencies, otherwise the phone would not work. The data tells us that the coating is effective at reducing γ wave radiation. We are not claiming the coating inhibits all frequencies, but this facility to interfere with γ wave radiation is significant.



QUALITY STANDARDS

Test	Description
TÜV, MSZ ISO 18593:2008	Microbiological test
TÜV, MSZ 9640/41:1983	Scratch hardness test with spring ball rod
TÜV, MSZ EN ISO 15184:2013	Pencil hardness test
TÜV, Sessile drop method	Water-Repellent, surface tension, contact angles
TÜV, DIN 51 155	Impact test
TÜV, ICP-MS MSZ EN ISO 17294-2:2005	Metal content of the wipes
TÜV, ICP-MS + XRF	RoHs screening test
ASTM D 3363	Wolf Wilburn pencil hardness test
DIN EN ISO 15184	
BS 3900-E19	
DIN EX 13523-4	
ISO 10993-1	Biocompatibility test
ASTM E 2180-07 (Reapproved 2012)	Assessment of Antimicrobial activity (ATCC 6538, 4352 & 15442)
ISO 9001	Anti-Bacterial Test
Martens, Vickers	Hardness test on mobile phone screens
	Radiation Test on mobile phone

PACKAGING & SHIPPING

HS Code: 3208 9019, no DG

YOUR BRAND



MADE IN GERMANY

AVAILABLE SACHETS

MOQ: 5.000 pcs. for private label

Art. No.	Sachet Size	Wipe Size
67100	60 x 80 mm	100 x 140 mm
67102	60 x 80 mm	60 x 70 mm
67103	50 x 70 mm	60 x 70 mm

Liquid Glass Coating



For all mobile phones incl. „Edge“

1 Pre-Cleaning Wipe

Deep clean the surface with the pre-clean wipe and then after 30 seconds buff the surface with a lint-free wipe or tissue. Please follow instructions provided.

Warning: Danger. Highly flammable. Causes serious eye irritation. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep out of reach of children.

Ingredient: 1-Ethoxypropan-2-OL
Content: 1,5 ml

Made in Germany

2 Coating Wipe

Wipe the surface speedily with the alcohol based coating wipe which will dry within 90 seconds +/- . Ensure full coverage of the surface and continue to wipe until the tissue is dry. Allow the surface to dry for a minimum of 30 minutes and then buff with a lint-free dry wipe. Ideally the coating should be allowed to bond for 10 hours, usage is possible after 1 hr.

Warning: Danger. Highly flammable. Causes serious eye irritation. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep out of reach of children.

Ingredients: Ethanol 75-100%, Butanone <1%
Content: 1,5 ml

Made in Germany

LiquiGlas®, Art. Nr. 901